Gabriel Saenz.

G.S.F.30 Remijia pedunculata.
Finca Jordan. N.N.W. of Velez. On the road from Velez to Landazuri, about 30 Kms from Landazuri Santander – July 18-1944 –
left side of the road going towards Landazuri back of Mr Anatolio Diaz's house. 4200 feet approx

31 Remijia pedunculata
height slope, dry forest on height slope.
4200 feet - 2600 feet?

32 Remijia pedunculata
on steep slope, near top of ridge.

July 30 1944
Vereda de Rozo - municipio de Cota, 31 Kms by road from Bogota by the Funza road. West of Rio Juan Amarillo. N.NW of Bogotá. 2610 ms.

33 On a meadow, at the side of a small stream ~~on~~ sandy loam black humic soil. Plant locally called "cardo"

34 Piper.
Rio Minero, upper R. Carare
Santander, 1944

- tree 2 ms tall - 1 inch Diameter, leaves glossy, dark green, white flowers, in full bloom, flowers fragrant.

- tree about 7 ms tall, 3 ins diameter leaves glossy green, flowers white

- tree 4 ins diameter, 10 meters tall, glossy green leaves, white flowers, locally called "Punta de Lanza"

- plants reaching 2 feet in height, cultivated for food. planted on rows 2 feet apart. when plants reach full development that is before flowering the plants are bent down and soil is piled on the stems, leaving the end of the leaves outside, they are left thus for 10 to 15 days, then plants are uncovered and cut at the base leaving the roots in the soil, these will give another plant or ratoon. The uncovered plants become white after being buried and are ready for eat, the edible part is the stem in this case a leaf petiole. Leaves are pubescent and green on upper side, and white grey on the underside, flowers composite, lavender in colour.

Proofed
Foxbarg
Fieldnote

G.S.F. 30 Remijia pedunculata

Finca Jordan, n.n.w. of ~~Vebez~~ Velez, on road from Velez to Laudázuri, about 30 kms. from Laudázuri, Santander. July 18, 1944.
Left side of the road going towards Laudázuri, back of Mr. Anatolio Diaz's house. 4200 feet approx.

Tree ~~2 m.~~ 2 m. tall - 1 inch dia., leaves glossy dark green, white flowers, in full bloom, flowers fragrant.

31 Remijia pedunculata

slight slope, dry forest on slight slope. 4200 feet-2600 feet ?

tree about ~~1~~ — mts. tall, 3 ins. dia., leaves glossy green, flowers white.

32 Remijia pedunculata

on steep slope, near top of ridge.
tree 4 ins. dia., ~~1~~ 10 mts. tall, glossy green leaves, white flowers, locally called "Punta de Lanza".

July 30, 1944
Vereaba da Rozo - municipio de Cota, 31 kms. by road from Bogotá by the Funza road, west of Rio Juan Amarillo, n. n.w. of Bogotá, 2610 ms.

33 On a meadow, at the side of a small stream, sandy loam black humus soil, plant locally called "cardo".

plants reaching 2 feet in height, cultivated for food, planted on rows 2 feet apart. when plants reach full development that is before flowering the plants are bent down and soil is piled on the stems, leaving the end of the leaves outside, they are left thus for 10 to 15 days, then plants are uncovered and cut at the base leaving the roots in the soil, these will give another plant or ratoon. The uncovered plants become white after being buried and are ready to eat, the edible part is the stem in this case a leaf petiole. leaves are pubescent and green on upper side, and white grey in the underside, flowers ~~composite~~, lavender ~~in color~~.